

INDEX MAPS.

T. 14 N. R. 7 E. 2nd Mer.

	256		256		256		255		255		254	
258	6	279	5	275	4	271	3	267	2	262	1	254
	281		279		274		270		266		262	
258	7	278	8	274	9	270	10	266	11	261	12	254
	281		278		274		270		265		261	
258	18	277	17	273	16	269	15	265	14	261	13	253
	280		277		273		269		264		260	
257	19	277	20	273	21	268	22	264	23	260	24	253
	280		276		272		268		264		260	
257	30	276	29	272	28	268	27	263	26	259	25	253
	279		275		271		267		263		259	
256	31	275	32	271	33	267	34	263	35	259	36	252
	254		252		251		251		251		251	

T. 15 N. R. 7 E. 2nd Mer.

	288		288		288		287		287		287	
290	6	310	5	306	4	302	3	298	2	294	1	286
	312		310		306		302		298		294	
290	7	310	8	306	9	302	10	298	11	294	12	286
	312		309		305		301		297		293	
290	18	309	17	305	16	301	15	297	14	293	13	286
	311		308		304		300		297		293	
289	19	308	20	304	21	300	22	296	23	292	24	285
	311		308		304		300		296		292	
289	30	307	29	303	28	299	27	296	26	292	25	285
	311		307		303		299		295		291	
289	31	309	32	303	33	299	34	295	35	291	36	283
	284		284		284		283		283		283	

(P) The figures on the lines refer to the page.

Township N. 14 North, Range N. 7 East 2^d Mer. Ind.^a 251

South Boundary. var. C. 45' E.

West On S. boundary of Sec. 36, Post. 127 E
 15.30 a W. Oak 12 in. dia.
 40.00 Set of Sec. post, from which
 at Beech 10 in. dia. bay N 51 W 20 in. dist. of
 a Poplar 9 " " " S 34 E 27 " "
 48.90 a Quaking asp 15 in. dia. (aspen)
 80.00 Set post Cor. to Sec. 35 & 36, from which
 a Sycamore 8 in. dia. bay S 86 E 66 in. dist. of
 a Hickory 7 " " " N 17 W 2 " "
 Level land Quaking Asp (Aspen) Sycamore, &c.
 underg^g Spruce, Buckeye, ash &c. Soil good

West On S. boundary of Sec. 35
 23.20 an Elm 15 in. dia.
 40.00 Set of Sec. post, from which
 a Swamp oak 6 in. dia. bay S 30 E 10 in. dist. of
 a Hickory 5 " " " N 19 1/2 W 8 " "
 58.50 a W. Oak 15 " "
 80.00 Set post Cor. to Sec. 34 & 35, from which
 a P. Oak 10 in. dia. bay N 3 E 22 in. dist. of
 an Aspen 20 " " " S 5 E 18 " "
 Land timber &c. same as on the last mile

West On S. boundary of Sec. 34
 9.30 at Beech 18 in. dia.
 40.00 Set of Sec. post, from which
 an Ash 18 in. dia. bay N 53 E 19 in. dist. of
 a Beech 18 " " " S 67 W 7 " "
 49.50 an Elm 12 " "
 80.00 Set post Cor. to Sec. 33 & 34 from which
 a Beech 27 in. dia. bay N 48 W 31 in. dist. of
 a do. 14 " " " N 51 E " "
 Land timber &c. same as on the last mile

West On S. boundary of Sec. 33

West R & E. 2^d. Mer. IndianaCh. 1st

18.00 East Fork of White river 200 yds wide N.E.

23.70 a Yellow Ash 24 in. dia.

40.00 At q. Sec. post, from which
a Buckeye 15 in. dia. bay N 45° W 5 lbs. dist of
a Beech 24 " " " S 39° E 40 " "

61.15 a do. 20 " "

80.00 At post Cor. to Sec. 32 & 33, from which
a Hickory 7 in. dia. bay S 69° W 9 lbs. dist of
a Hackberry 6 " " " N 79° E 12 " "
Level land, timber Beech, Walnut, Hackberry
yc. many th. Spruce, Hickory yc. rich soil

West On S. boundary of Sec. 32

19.25 a Buckeye 18 in. dia.

40.00 At q. Sec. post, from which
a Sugar 21 in. dia. bay N 62° E 36 lbs. dist of
a Beech 21 " " " S 23° W 21 " "

54.00 a Hickory 21 " "

80.00 At post Cor. to Sec. 31 & 32, from which
a Beech 9 in. dia. bay S 21° W 7 lbs. dist of
a do. 30 " " " N 43° E 29 " "
Land timber yc. same as on the last mile

West On S. boundary of Sec. 31

23.25 a Beech 22 in. dia.

40.00 At q. Sec. post, from which
a Beech 12 in. dia. bay N 40° E 9 lbs. dist of
a do. 6 " " " N 69° W 16 " "

77.95 intersected Township Corner

Land timber yc. same as on the last mile
July 26th 1819

East Boundary. var. 7.15. E

North On E. boundary of Sec. 36

5.80 a Beech 12 in. dia.

40.00 At q. Sec. post, from which

253

St. N. P. & E. I. Mer. Indiana

Ch. P. L.

an Ash 9 in. dia. bray S 59° W 22 1/2 m. dist. of
 an Oak 12 " " " N 52° W 15 " "
 53.00 at Beech 14 " "
 80.00 Set post Cor. to Sec. 25 of 36, from which
 a Buckeye 12 in. dia. bray S 62° E 20 1/2 m. dist. of
 an Elm 14 " " " N 62° W 25 " "
 Over level wetland, timber Beech, Asp. fir &c.

North On E. boundary of Sec. 25

12.40 at Beech 14 m. dia.
 23.50 at Brook 20 yds, wide Cr. S. W.
 40.00 Set q. Sec. post, from which
 a Beech 10 in. dia. bray S 10° E 15 1/2 m. dist. of
 a Do. 10 " " " N 37° W 33 " "
 69.90 at Beech 18 " "
 80.00 Set post Cor. to Sec. 24 of 25, from which
 a Beech 14 in. dia. bray S 23° E 26 1/2 m. dist. of
 a Poplar 16 " " " S 23° W 20 " "
 Over good farming land timber Beech, Sugar
 Poplar &c. undug. Spruce

North On E. boundary of Sec. 24

18.62 an Ash 18 in. dia.
 40.00 Set q. Sec. post, from which
 a Poplar 10 in. dia. bray S 28° E 23 1/2 m. dist. of
 a Hickory 13 " " " N 26° W 22 " "
 45.70 a Creek 20 yds, wide Course S. W.
 68.03 a Hickory 18 in. dia.
 80.00 Set post Cor. to Sec. 13 of 24 from which
 an Ash 14 in. dia. bray S 80° E 5 1/2 m. dist.
 a Beech 12 " " " S 2° W 18 " "
 Sand timber &c. same as on last mile

North On E. boundary of Sec. 13

15.45 at Beech 14 m. dia.
 40.00 Set q. Sec. post, from which

254

Met. V2E. 2nd Mer. Indiana

ch. 1st m.

at Beech 18 m. dist. bear S53 E 31 km. dist. of
a do. 13 " " " S40 W 20 " "
68.64 a Sugar 14 " "
80.00 At post Cor. to Sec. 12 of 13, from which
at Beech 10 m. dist. bear S54 E 25 km. dist. of
a do. 9 " " " N62 W 19 " "
Land timber &c. Same as on the last mile

North On E. boundary of Sec. 12

14.50 a Brook 15 km. wide Course W.
22.15 an Ash 30 m. dist.
40.00 At q. Sec. post, from which
an Ash 16 m. dist. bear S59 W 22 km. dist. of
a Hickory 16 " " " S28 E 12 " "
61.26 an Ash 18 " "
77.10 a Brook 4 km. wide C. S. W.
80.00 At post Cor. to Sec. 1 of 12, from which
a Beech 13 m. dist. bear S54 W 8 km. dist. of
a W. Oak 30 " " " S5 E 35 " "
Land timber &c. Same as on the last mile

North On E. boundary of Sec. 1

33.80 at Beech 18 m. dist.
40.00 At q. Sec. post, from which
a Beech 13 m. dist. bear S3 E 28 km. dist. of
a do. 30 " " " N37 W 13 " "
52.80 a Sugar 18 " "
77.50 At post Cor. to Township 14 of 15 North
Range 7 of 8 E. from which
a Hackberry 14 m. dist. bear N11 E 30 km. dist. of
a Buckeye 13 " " " S46 E 26 " "
Land timber &c. Same as on last mile

North Boundary. var. 6.45 E.

West On S. boundary of Sec. 36, S15 N. 1 E 7 E

32.00 a Hackberry 18 m. dist.

T4 N 127 E. 2nd Mer. Indiana

255

ch² lth

- 40.00 Set of Sec. post, from which
a Lyeamore 12 mi. dist. bear S 63 E 30 lth. dist of
a Do. 20 " " " S 17 E 39 " "
- 58.40 a Spanish Oak 50 " "
- 60.00 a Creek 30 lth. wide Course S.
- 68.57 a Brook 15 " " " S. E.
- 80.00 Set post Cor. to Secs 35 & 36, T4 S 127 E, from which
an Ash 7 mi. dist. bear S 85 E 19 lth. dist of
an Elm 5 " " " S 39 W 5 " "
Over low lands, rich, timber Hackberry, Sugar,
under^d to Spruce

West On S. boundary of Sec. 35, T4 S 127 E

- 40.00 Set of Sec. post, from which
an Elm 18 mi. dist. bear S 88 E 49 lth. dist of
an Oak 14 " " " S 30 W 35 " "
- 41.60 a Brook 15 lth. wide Course S.
- 52.83 a Beech 24 mi. dist.
- 80.00 Set post Cor. to Secs 34 & 35, T4 S 127 E, from which
a Beech 13 mi. dist. bear S 71 E 19 lth. dist of
a Sugar 8 " " " S 18 W 19 " "
Over good farming land, timber Beech, Ash
Sugar &c. under^d to Spruce

West On S. boundary of Sec. 34, T4 S 127 E.

- 22.60 a Beech 14 mi. dist.
- 40.00 Set of Sec. post, from which
a Beech 11 mi. dist. bear S 8 E 20 lth. dist of
a Sugar 14 " " " S 18 W 26 " "
- 59.32 a Hickory 18 " "
- 80.00 Set post Cor. to Secs 33 & 34, T4 S 127 E, from which
a Beech 12 mi. dist. bear S 87 W 31 lth. dist of
a Do. 12 " " " S 87 W 26 " "
Over level land, timber Oak, Hickory Beech
&c. under^d to Spruce

T44 N. R7 E. 2^d Mer. Indianach. 1st 1/2

West On S. boundary of Sec. 33, T15 N. R7 E.

30.45 an Ash 24 in. dia.

40.00 Set of Sec. post, from which
a Beech — in. dia. — bray N 34 E 8 1/2 in. dist. of
a Do. 14 " " " N 15 W 16 " "

an Elm 12 " "

80.00 Set post Cor. to Sec. 32 & 33, T15 N. R7 E, from which
a Beech 10 in. dia. — bray N 61 E 32 in. dist. of
a Do 10 " " " S 2 W 30 " "
Own good farming land, timber Beech, ash,
Poplar &c.

West On S. boundary of Sec. 32, T15 N. R7 E

18.50 a Creek 20 in. wide Course S.

21.50 a Do. 70 in. " " S

40.00 Set of Sec. post, from which
a Sugar 18 in. dia. — bray N 43 E 20 in. dist. of
a Do. 34 " " " West 5 " "

68.53 a Del —

80.00 Set post Cor. to Sec. 31 & 32, T15 N. R7 E from which
a Beech 11 in. dia. — bray N 80 E 34 in. dist. of
a Do. 12 " " " S 52 W 38 " "
Land timber &c. same as on the last mile

West On S. boundary of Sec. 31, T15 N. R7 E

27.26 a Beech 18 in. dia.

40.00 Set of Sec. post, from which
a Poplar 30 in. dia. — bray N 62 E 4 in. dist. of
a Gym 10 " " " S 62 W 4 " "

60.27 an Elm 14 " "

77.00 Intersected the Township Corner.

(Description of land &c. Omitted)

July 27th 1879West Boundary. var. 6.45 E.
North On E. boundary of Sec. 36, T14 N. R6 E

257

T4 N R7 E, 2^d. Mer. Indiana

- ch. 2. 1/2 a creek 70 lbs. wide; c. S. W.
 2.00 a do 70 " " " S. E.
 15.00 a Beech 20 in. dia.
 20.62 a q. Sec. post, from which
 a Lyma 18 in. dia. bray 158 E 10 lbs. dist. of
 an Oak 12 " " " N 23 W 8 " "
 42.20 a creek 70 lbs. wide corner S. W.
 64.26 a Beech 18 in. dia.
 80.00 a post cor. to Sec. 25, 36, T4 N, R7 E, from which
 a Beech 12 in. dia. bray 140 W 34 lbs. dist. of
 an Ash 13 " " " N 2 E 19 " "
 Over good farming land, timber, Beech, Anger, ash etc.

- North On E. boundary of Sec. 25, T4 N, R7 E.
 19.36 an Ash 30 in. dia.
 40.00 a q. Sec. post, from which
 a Poplar 40 in. dia. bray 121 W 11 lbs. dist. of
 a Beech 9 " " " N 44 W 6 " "
 56.30 an Elm 24 " "
 80.00 a post cor. to Sec. 24, 25, T4 N, R7 E, from which
 a Hickory 13 in. dia. bray 127 W 21 lbs. dist. of
 an Elm 16 " " " N 50 E 4 " "
 Sand, timber &c. same as on the last mile

- North On E. boundary of Sec. 24, T4 N, R7 E.
 8.70 a Beech 14 in. dia.
 40.00 a q. Sec. post, from which
 a Beech 10 in. dia. bray 161 W 8 lbs. dist. of
 a — 6 " " " N 19 E 16 " "
 55.12 an Ash 30 " "
 80.00 a post cor. to Sec. 13, 24, T4 N, R7 E, from which
 a Beech 12 in. dia. bray 16 E 40 lbs. dist. of
 a Hickory 14 " " " N 8 E 23 " "
 Over level land timber Beech, Ash, Elm &c.
 under 1/2 Spruce.

T4th N7E. 2^d Mer. Indiana

North On E. boundary of Sec. 13, T4th N7E.

40.00 Set of Sec. post, from which
an Oak 30 m. dist. by S6E20 m. dist. of
a do. 30 " " " N28E17 " "

72.08 a Beech 24 " "

80.00 Set post cor. to Sec. 12 of 13, T4th N7E, from which
a Beech 14 m. dist. by S64W11 m. dist. of

a do. 22 " " " N49E28 " "

Land timber &c. same as on last mile

North On E. boundary of Sec. 12, T4th N7E.

23.42 a Beech 10 m. dist.

40.00 Set of Sec. post, from which

a Beech 9 m. dist. by S21E5 m. dist. of

a do. 13 " " " N45W15 " "

49.32 a do. 18 " "

80.00 Set post cor. to Sec. 1 of 12, T4th N7E, from which
a Beech 12 m. dist. by S47E33 m. dist. of

an Ash 18 " " " N85W16 " "

Land timber &c. same as on the last mile

North On E. boundary of Sec. 1, T4th N7E.

22.90 an Elm 10 m. dist.

40.00 Set of Sec. post, from which

a Beech 12 m. dist. by N71E23 m. dist. of

a do. 10 " " " N82W18 " "

79.96 Set post cor. to Township 14 of 15 North, of
Range 6 of 7 East, from which

an Ash 13 m. dist. by S8E18 m. dist. of

a do. 12 " " " S77W26 " "

Over good farming land, timber Oak, Ash &c.

July 29. 1819

Surveyed by John Mc. Donald

Deputy Surveyor

Subdivision. var. 7° 15' E.

259

T4 N R7 E 2^d Mer. Indiana

ch^d lth.
 North Between Secs. 35 & 36, T4 N R7 E
 30.50 an Ash 16 in. dia.
 40.00 Set q^r. Sec. post, from which
 an Ash 10 in. dia. bears South 22 lth. dist. &
 a Do 7 " " " North 18 " "
 72.00 an Oak 28 " "
 80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which
 an Elm 12 in. dia. bears South 10 lth. dist. &
 an Iron[?] 7 " " " N 41 58 "
 Land level 1st. 1/2 mile 1st. rate - 2^d. 1/2 mile
 2^d. rate, timber Cottonwood, Oak, Beech &c.
 undergth. Spruce, prickly Ash &c.

East On Rand^m, between Secs. 25 & 36
 40.00 Set temp^y. q^r. Sec.
 72.50 a creek 20 lth. wide Course S. W.
 80.50 Intersected the E. boundary 82 lth. N. of post.
 Land level 2^d. rate timber Beech Ash Sugar &c.
 undergrowth Spice &c.

West Corrected between Secs. 25 & 36.
 15.00 an Ash 24 in. dia.
 40.25 Set q^r. Sec. post, at average dist. from which
 a Beech 30 in. dia. bears North 19 lth. dist. &
 an Ash 9 " " " S 30 W 16 " "
 67.00 a Beech 20 " "
 80.50 to Section Corner

North Between Secs. 25 & 26.
 14.00 a Beech 14 in. dia.
 40.00 Set q^r. Sec. post, from which
 a Beech 20 in. dia. bears S 85 E 4 lth. dist. &
 a Do. 16 " " " — 40 " "
 70.50 an Ash 28 " "
 80.00 Set post cor. to Secs. 23, 24, 25 & 26, from which
 a Beech 12 in. dia. bears S 65 E 12 lth. dist. &

St. R. E. 2^d Mer. Indiana ch. 1st 1st

a Beech 36 in. dia. bears West 13. lbs. dist. &
Land level timber Beech, Ash, Sugar &c. undergro-
wth Spice- &c.

East On Random between Sec. 24 & 25

40.00 Set temp. g. Sec. post.

80.66 Intersected the E. boundary 31 lbs. N. of post.
Land level 2^d rate timber Beech, Ash, Sugar &c.
undergrowth Spice.

West Corrected between Sec. 24 & 25

23.00 an Ash 20 in. dia.

40.33 Set g. Sec. post. at average dist. from which
a Beech 9 in. dia. bears N 10 W 11 lbs. dist. &
an Ash 10 " " S 30 E 15 " "

60.00 Hackberry 15 " "

80.66 to Section Corner

North Between Sec. 23 & 24.

18.30 an Ash 14 in. dia.

40.00 Set g. Sec. post. from which
an Ash 4 in. dia. bears West 9 lbs. dist. &
a Buckeye 7 " " N-W 10 " "

44.50 a Beech 20 lbs. wide Course W.

54.50 an Oak 16 in. dia.

80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which
a Beech 40 in. dia. bears N-W 18 lbs. dist. &
a " 18 " " S-E 40 " "

first 1/4 mile hilly 2^d rate last 1/4 mile level first
rate timber Ash, Beech, Sugar, &c. undeg. Spice

East On Random between Sec. 13 & 24.

40.00 Set temp. g. Sec. post.

81.00 Intersected the E. boundary 29 lbs. South of post.
Land level 2^d rate timber Beech Ash Sugar undeg. Spice

261

West P.C. 2^d Mer. Indiana

Ch. P. 11th

West Corrected between Sec. 13 & 14

22.00 a Beech 10 in. dia.

40.50 Set qf. Sec. post. at average dist. from which
a Beech 12 in. dia. bears North 20 lbs. dist. &

a No. 24 " " " S 30 W 15 " "

61.50 a No. 9 " "

81.00 to Section Corner. Oct. 19th 1819.

North Between Sec. 13 & 14

18.00 a Beech 12 in. dia.

40.00 Set qf. Sec. post. from which
a Beech 16 in. dia. bears N 8 W 11 lbs. dist. &

a No. 15 " " " S 50 E 14 " "

75.00 an Ash 14 " "

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which
a Blue Ash 12 in. dia. bears S-E 18 lbs. dist. &

a Buckeye 8 " " " S-W 4 " "

Land level first rate timber Beech Ash B. Walnut
&c. undergrowth Spice &c.

East On Boundary between Sec. 12 & 13.

40.00 Set temp. qf. Sec. post.

81.00 Intersected the E. boundary 92 lbs. S. of post.
first 1/2 mile level 1st rate 2^d 1/2 mile hilly 2^d rate
timber Ash, Oak, Beech &c. undergrowth Spice &c.

West Corrected between Sec. 12 & 13.

20.00 a Poplar 30 in. dia.

40.50 Set qf. Sec. post at average dist. from which
a Beech 9 in. dia. bears West 2 lbs. dist. &
an Ash 12 " " " S 60 E 13 " "

64.00 a Hackberry 14 " "

81.00 to Section Corner

North Between Sec. 11 & 12.

10.00 a Run 6 lbs. wide Course S. W.

St. R. E. D. Mer. Indiana

Ch. P. 11

- 31.50 a Beech 11 in. dia.
 40.00 Set q. Sec. post. from which
 a Beech 10 in. dia. bears N 18 lbs. dist. &
 and no other tree -
 61.50 a Beech 14 in. dia.
 80.00 Set post Cor. to Sec. 1.2.11 & 12. from which
 a Beech 6 in. dia. bears N 10 & 5 lbs. dist. &
 a No. 9 " " " S 75 E 19 "
 Land level 2". rate Lynn, Beech, Ash, Oak &c.
 Undergrowth Spice.

East On Prandon between Sec. 1 & 12.

- 40.00 Set temp. q. Sec. post.
 80.96 Intersected the E. boundary 22 lbs. S. of post.
 Land level 2". rate timber Beech, Oak, Ash, &c.
 Undergrowth Spice &c.

West Connected between Sec. 1. & 12.

- 27.00 an Elm 18 in. dia.
 40.48 Set q. Sec. post. at average dist. from which
 a Sugar 5 in. dia. bears East 25 lbs. dist. &
 a Beech 9 " " " S 50 E 28 " "
 62.00 a Hackberry 9 " "
 80.96 to Section Corner

North Between Sec. 1 & 2.

- 32.00 an Ash 30 in. dia.
 40.00 Set q. Sec. post. from which
 a Hackberry 13 in. dia. bears South 12 lbs. dist. &
 a Beech 24 " " " N 35 E 28 " "
 41.00 a Creek 1.50 lbs. wide course West
 71.00 an Ash 9 in. dia.
 81.07 Intersected the N. boundary 1.65 lbs. West of post.
 Set post Cor. to Sec. 1 & 2. from which
 an Ash 7 in. dia. bears S 10 E 9 lbs. dist. &
 an Oak 48 " " " N 80 W 12 " "

St. R. C. 2^d Mer. Indiana

263

ch. P. 167

Land level 1st rate timber Beech Walnut Ash &c.
underg^t. Spice Poplar &c. Oct. 20th 1819.

North Between Sec^s. 34 & 35

15.00 an Ash 14 in. dia.

40.00 Set of Sec. post. from which
a Beech 24 in. dia. bears North 28 lbs. dist. &c.
a No. 16 " " " West 25 " "

67.00 an Ash 18 " "

78.50 a Creek 1.50 lbs. wide Course S. W.

80.00 Set post Cor. to Sec^s. 26, 27, 34 & 35, from which
a Sycamore 16 in. dia. bears West 25 lbs. dist. &
an Ash 15 " " " S 75 E 1.56 " "

Land level 1st rate first 1/2 mile 2^d rate 2 1/2 miles
hilly timber Beech Ash Sugar Oak. underg^t. Spice

East On Random between Sec^s. 26 & 35

29.00 a run 5 lbs. wide Course N. W.

40.00 Set temp^y. of Sec. post.

80.26 Intersected the N. & S. line 84 lbs. N. of post.
Land 2^d rate 1 1/2 mile hilly 2 1/2 mile level
timber, Beech, Oak, &c. undergrowth Spice.

West Corrected between Sec^s. 26 & 35

20.00 an Oak 20 in. dia.

40.10 Set of Sec. post. at average dist. from which
a Beech 14 in. dia. bears N 88 W 15 lbs. dist. &
a No. 30 " " " N 20 E 30 " "

61.00 a No. 14 " "

80.20 to Section Corner

North Between Sec^s. 26 & 27.

24.00 a Buckeye 12 in. dia.

40.00 Set of Sec. post. from which
a Swamp Ash 8 in. dia. bears North 5 lbs. dist. &
an Ash 12 " " " East 12 " "

264 T4. N. R7 E. 2nd Mer. Indiana

ch. P. 167

77.00 a Hackberry 12 in. dia.

80.00 Set post Cor. to Secs. 22, 23, 26 & 27, from which
a Hackberry 7 in. dia. bears S 30 E 13 lbs. dist. &
a No. 11 " " " N 25 W 25 " "
Land level 1st rate timber Oak, Ash, Beech
Hackberry &c. undergrowth Spice &c.

East On Random between Secs. 23 & 26.

5.50 a Creek 1.50 lbs. wide Course S 45 E.

40.00 Set temp^y. qf. Sec. post.

80.02 Intersected the N. & S. line 1.27 lbs. N. of post.
Land level 1st rate timber Beech, Ash, Oak,
Walnut &c. undergrowth Spice &c.

West Connected between Secs. 23 & 26.

21.50 a Sugar 18 in. dia.

40.01 Set qf. Sec. post, at average dist. from which
a Beech 16 in. dia. bears N 60 E 10 lbs. dist. &
a No. 9 " " " South 11 " "

62.00 a Hackberry 16 " "

80.02 to Section Corner.

North Between Secs. 22 & 23

19.50 a Hackberry 18 in. dia.

40.00 Set qf. Sec. post, from which
a Beech 24 in. dia. bears S 57 W 11 lbs. dist. &
a No. 12 " " " West 14 " "

65.00 an Oak 20 " "

80.00 Set post Cor. to Secs. 14, 15, 22 & 23, from which
a Beech 15 in. dia. bears S E 6 lbs. dist. &
a No. 15 " " " N 35 W 14 " "

Land level 1st rate timber Beech, Ash, Oak, Sugar
&c. undergrowth Spice. Oct. 21st 1819.

East On Random between Secs. 14 & 23.

3.00 a Creek 1.50 lbs. wide Course South

265

West Rye, Ind. Mer. Indiana

ch. l. l. l.
 35.00 Enter a Swamp
 40.00 Set temp. g. of. Sec. post.
 41.50 a Creek 20 l. wide Course South
 55.00 Dry Land
 80.26 Intersected the N. & S. line 85 l. N. of post.
 Land level 2. rate timber Beech Ash Lynn Sugar
 &c. undergrowth Spice

West Corrected between Sec. 14 & 23
 28.00 an Ash 18 in. dia.
 40.13 Set g. of. Sec. post. at average dist. from which
 an Ash 19 in. dia. bears N. E 6 l. dist. &
 a Box Elder 6 " " " West 3 " "
 58.00 a Sugar 20 " "
 80.26 to Section Corner

North Between Sec. 14 & 15.
 15.00 a Beech 16 in. dia.
 40.00 Set g. of. Sec. post. from which
 a Beech 9 in. dia. bears West 5 l. dist. &
 a No. 10 " " " N & E 10 " "
 58.00 an Oak 30 " "
 80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
 a Beech 7 in. dia. bears S 80 E 10 l. dist. &
 a No. 6 " " " N 60 W 15 " "
 Land level 2. rate Lynn Beech Oak, Sugar &c.
 undergth Spice &c.

East On Prandon between Sec. 11 & 14
 10.00 a Creek 1.80 l. wide Course S. W.
 40.00 Set temp. g. of. Sec. post.
 65.00 a Creek 20 l. wide Course S. W.
 80.10 Intersected the N. & S. line 1.08 l. N. of post.
 Land level 1. rate timber Beech Oak Ash &c.
 Walnut undergrowth Spice &c.

266 Mt Rye 2nd Mer. Indiana
ch. lks

West Corrected between Sec. 11 & 14

21.00 an Ash 19 in. dia.

40.05 Set of. Sec. post. at average dist. from which
a Beech 6 in. dia. bears N. 12 lks. dist. &
an Ash 4 " " S W 11 " "

60.00 a Sycamore 62. " "

80.10 to Section Corner

North Between Sec. 10 & 11.

34.00 a Beech 9 in. dia.

40.00 Set of. Sec. post. from which
a Beech 24 in. dia. bears East 12 lks. dist. &
a No. 20 " " S 40 W 28 " "

68.50 a Hickory 16 " "

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
a Beech 11 in. dia. bears N-E 5 lks. dist. &
a No. 10 " " South 12 " "
Land level 2nd rate timber Beech, Oak, Ash
Sugar &c. - Undergrowth Spice

East On Random between Sec. 2 & 11

22.00 Enter a Swamp

35.00 High Land

40.00 Set temp. of. Sec. post.

48.50 a Creek 1.50 lks. wide Course S. E.

70.00 a No. 1.50 " " South

80.30 Intersected the N. & S. line 1.06 lks. N. of post.
Land timber &c. Same as last mile

West Corrected between Sec. 2 & 11.

22.00 a Sycamore 10 in. dia.

40.15 Set of. Sec. post. at average dist. from which
a Beech 9 in. dia. bears N 40 E 4 lks. dist. &
an Oak 30 " " N 40 W 6 " "

80.30 to Section Corner

Th. N. E. 2^d Mer Indiana

267

ch. 1/4

North Between Sec. 2 & 3.

14.50 a Beech 14 in. dia.

40.00 Set q. Sec. post. from which

a Beech 7 in. dia. bears S 20 E 12 lbs. dist. 4

a No. 16 " " " S 11 W 11 " "

67.50 an Oak 10 " "

80.36 Intersected the N. boundary 6 lbs. W. of post.

Set post Cor. to Sec. 2 & 3. from which

a Beech 12 in. dia. bears East 20 lbs. dist. 4

a No. 7 " " " N 75 W 16 " "

Land level 2^d rate timber Beech, Ash, Sugar.

Oak &c. undergrowth Spice. Oct. 22. 1819.

North Between Sec. 33 & 34

13.00 a Creek 1.50 lbs. wide Course S. 45 W

38.00 a Beech 20 in. dia.

40.00 Set q. Sec. post. from which

an Ash 30 in. dia. bears N 10 W 10 lbs. dist. 4

a No. 7 " " " S 60 E 13 " "

58.00 a Buckeye 8 " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which

a Beech 26 in. dia. bears S 35 W 35 lbs. dist. 4

a No. 34 " " " North 15 " "

Land level 1st rate, timber Beech, Oak, Buck-
eye, Oak &c. undergth. Spice

East On Rand^m. between Sec. 27 & 34

40.00 Set temp^y. q. Sec. post

80.38 Intersected the N. & S. line 7 lbs. N. of post

Land timber &c. Same as on the last mile

West Connected between Sec. 27 & 34

20.00 a Beech 16 in. dia.

40.19 Set q. Sec. post at average dist. from which

a Beech 7 in. dia. bears N. W 5 lbs. dist. 4

a No. — " " " S 80 E 20 " "

268

Map N.E. 2^d Mer. Indiana

ch. 1st

60.00 an Ash 30 in. diam.

80.38 to Sec. Corner.

North Between Secs. 27 & 28

12.00 a Creek 20 lbs. wide Course E.

35.75 a Beech 12 in. dist.

40.00 Set q. Sec. post, from which
 an Ash 6 in. dia. bears S 50 E 30 lbs. dist. 4
 blackberry 14 " " " N 75 " "

59.00 an Ash 20 " "

80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which
 a Beech 9 in. dia. bears East 15 lbs. dist. 4
 a No. 13 " " " South 15 " "
 level 1st rate Land timber Beech, Ash, Oak,
 Walnut &c. underg^d. Spice.

East On Random between Secs. 22 & 27

40.00 Set Temp^y. q. Sec post

80.32 Intersected the N. & S. line 108 lbs. N of post
 Land level 1st rate timber Beech, Oak, Ash,
 Hickory &c. underg^d. Spice.

West Corrected between Secs. 22 & 27

21.00 an Ash 30 in. dia.

40.16 Set q. Sec. post at average dist. from which
 an Elm 16 in. dia. bears S 25 W 16 lbs. dist. 4
 a Sugar 36 " " " N 15 E 28 " "

61.00 an Ash 36 " "

80.32 to Section Corner

North Between Secs. 21 & 22

21.50 an Ash 28 in. dia.

40.00 Set q. Sec. post, from which
 an Ash 22 in. dia. bears North 12 lbs. dist. 4
 a No. 13 " " " East 13 " "

56.00 a Sugar 16 " "

269

West Rye 2^d. Mer. Indiana

ch. l. l. l.

65.00 Enter a Swamp

75.00 Dry Land

80.00 Set post Cor. to Sect. 15, 16, 21 & 22, from which
a Beech 9 in. dia. bears West 15 lbs. dist. &
a Do. 11 " " " S 40 E 14 " "
Land level 2^d. rate timber Beech, Oak, Ash &c.
undergth. Spice &c.

East On Random between Sect. 15 & 22.

5.00 Enter a Swamp

20.00 Dry Land

30.00 Enter a Swamp

40.00 Set temp^y. q. Sec. post

80.30 Intersected the N. & S. line 61. lbs. N. of post.

West Corrected between Sect. 15 & 22.

22.00 a Lynn 48 in. dia.

40.15 Set q. Sec. post. at average dist. from which
a Beech 12 in. dia. bears North 11 lbs. dist. &
a Do. 10 " " " West 12 " "

51.00 an Elm 9 " "

80.30 to Section Corner.

Land level - timber Beech, Oak, Ash, Sugar.
undergth. Spice &c.

North Between Sect. 15 & 16.

16.00 a Beech 20 in. dia.

40.00 Set q. Sec. post. from which
a Beech 22 in. dia. bears North 6 lbs. dist. &
a Do. 10 " " " S W 15 " "

58.50 a Poplar 62 " "

80.00 Set post Cor. to Sect. 9, 10, 15 & 16, from which
a Beech 12 in. dia. bears N 40 E 18 lbs. dist. &
a Do. 10 " " " West 25 " "
Land level 2^d. rate timber Beech, Sugar, Ash,
Oak Elm &c. undergth. Spice.

M. N. R. E. 2^d. Mer. IndianaCh. P. 11th

East On Random between Sec. 10 & 15.

40.00 Set temp. q. Sec. post.

80.36 Intersected the N. & S. line 23 lbs. N. of post.

Land level 2^d. rate timber Beech Ash Sugar. &c.
undergth Spice &c.

West Corrected between Sec. 10 & 15

21.50 an Ash 24 in. dia.

40.18 Set q. Sec. post, at average dist. from which
a Beech — in. dia. bears S 80 E 40 lbs. dist. &
a B. Walnut 22 " " " S 75 W 15 " "

55.00 a B. Oak 48 " "

80.36 to Section Corner

North Between Sec. 9 & 10

17.00 a B. Oak 40 in. dia.

40.00 Set q. Sec. post, from which
a Hickory 16 in. dia. bears S 80 E 16 lbs. dist. &
a Beech 14 " " " West 18 " "

55.00 a B. Oak 62 " "

80.00 Set post Cor. to Sec. 3, 4, 9, & 10, from which
a Hickory 12 in. dia. bears N 30 E 21 lbs. dist. &
a No. 10 " " " N 65 E 27 " "
Land level 2^d. rate timber Beech, Ash, Poplar,
Oak &c. undergth Spice

East On Random between Sec. 3 & 10

40.00 Set temp. q. Sec. post.

80.40 Intersected the N. & S. line 45 lbs. N. of post.

Land level 2^d. rate timber Beech, Ash, Oak,
Sugar &c. undergth Spice

West Corrected between Sec. 3 & 10.

23.00 a B. Oak 30 in. dia.

40.20 Set q. Sec. post at average dist. from which
a Hickory 10 in. dia. bears N 80 W 7 lbs. dist.

271

Mt. PE. 2nd Mer. Indiana

ch. P. by
 60.50 a Sugar 11 in. dia. bears S 15 E 12 lks. dist.
 80.20 a B. Gum 16 " "
 to Section Corner

North Between Secs. 3 & 4.

18.00 an Elm 14 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 13 in. dia. bears N 75 W 20 lks. dist. &
 a Sugar 7 " " " N 85 E 13 " "
 61.50 a B. Oak 24 " "
 82.00 Intersected the N. boundary 3.25 lks. N. of post.
 Set post Cor. to Secs. 3 & 4. from which
 a Beech 14 in. dia. bears N E 20 lks. dist. &
 a No. 14 " " " S 30 W 39
 Land level 2nd rate timber Beech, Ash, Oak, Sugar, &
 undergrowth Spice. Oct. 25th 1819

North Between Secs. 32 & 33.

29.50 a Beech 16 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 10 in. dia. bears N 10 W 8 lks. dist. &
 a No. 11 " " " S 60 W 17 " "
 54.50 a Sugar 16 " "
 65.00 a Swamp
 73.00 Dry Land
 80.00 Set post Cor. to Secs. 28, 29, 32 & 33, from which
 a Sugar 11 in. dia. bears N W 25 lks. dist. &
 a Beech 9 " " " S E 15
 Land level 1st rate timber Ash Beech Oak
 Elm & Undergth Spice

East On Road^m. between Secs. 28 & 33

5.00 enter a swamp
 22.00 to dry land
 40.00 Set temp^y. of Sec. post
 53.00 a creek 20 lks. wide Course East

272 T.H. N. R. E. 2nd Mer. Indiana

ch. 1st 1/2
80.40 Intersected the N & S. line 81st 1/2. N. of post
Land level 2nd rate timber Ash, Beech,
Sugar &c. undergth. Spice &c.

West Corrected between Sec. 28 & 33

18.00 a Sugar 2 1/2 in. dia.
40.20 Set q. Sec. post. at average dist. from which
a Beech 9 in. dia. bears S 45 W 6 lks. dist. 8
a No. 5 " " " N 30 W 25 " "
58.00 an Elm 2 1/2 " "
80.40 to Sec. Corner

North Between Sec. 28 & 29.

24.00 a Swamp Ash 16 in. dia.
40.00 Set q. Sec. post, from which
a W. Walnut 3 in. dia. bears N 30 E 4 lks. dist. 4
a Cherry 2 " " " S W 25 " "
70.00 an Ash 22 " "
80.00 Set post Corner to Sec. 20, 21, 28 & 29, from which
a Beech 4 in. dia. bears N 60 W 16 lks. dist. 4
a No. 6 " " " S E 8 " "
Land level 2nd rate timber Beech Ash Sugar
&c. undergth. Spice

East On Random between Sec. 21 & 28

40.00 Set temp. q. Sec. post
80.36 Intersected the N & S. line 75 lks. N. of post
Land level & wet, timber Beech, Ash, Sugar &c
undergth. Spice &c.

West Corrected between Sec. 21 & 28

18.00 a Beech 16 in. dia.
40.18 Set q. Sec. post at average dist. from which
a Beech 10 in. dia. bears South 4 lks. dist. 6
a No. 14 " " " N 30 W 15 " "
61.00 a Maple 12 " "

T4 N 12 E 2nd Mer. Indiana 273

Ch. P. M.
80.36 to Section Corner

North Between Secs. 20 & 21

16.50 an Oak 48 in. dia.

40.00 Set of Sec. post, from which
a Beech 11 in. dia. bears N W 7 lbs. dist. 4
a No. 4 " " " N E 10 " "

75.00 a No. 9 " "

80.00 Set post Cor. to Secs. 16, 17, 20 & 21, from which
a Beech 6 in. dia. bears N 10 E 12 lbs. dist. 4
a No. 9 " " S 30 W 25 " "

Land level 2nd rate timber Beech, Ash, Sugar, &c.
undergrowth Spice, &c.

East On Prandom between Secs. 16 & 21.

40.00 Set temp. of Sec. post.

50.140 Intersected the N. & S. line, 75 lbs. N. of post.
Land timber &c. Same as last. mile.

West Connected between Secs. 16 & 21.

19.00 an Ash 12 in. dia.

40.20 Set of Sec. post, from which
an Ash 14 in. dia. bears S E 9 lbs. dist. 4
a Beech 12 " " " N 30 W 30 " "

57.00 a B. Gum 22 " "

80.140 to Section Corner. Oct. 26th 1819.

North Between Secs. 16 & 17.

21.00 a Beech 14 in. dia.

40.00 Set of Sec. post, from which
a Beech 5 in. dia. bears North 15 lbs. dist. 4
a No. 7 " " " N 35 W 7 " "

67.60 a No. 8 " "

80.00 Set post Cor. to Secs. 8, 9, 16 & 17, from which
a Beech 6 in. dia. bears S 25 W 6 lbs. dist. 4
a No. 7 " " " N 30 E 17 " "

274

T4 N R7 E. 2^d Mer. Indiana

ch. 1/4

Land Hilly 2nd rate Timber Beech, Ash, Sugar &c.
undergrowth Spice.

East On Random between Sec. 9 & 16.

40.00 Set temp. g. See post.

80.32 Intersected the N. & S. line 90 lbs. N. of post.

Land timber &c. same as on last mile

West Connected between Sec. 9 & 16.

24.00 a Beech 10 in. dia.

44.16 Set g. See. post. at average dist. from which
a Maple 6 in. dia. bears N 10 E 9 lbs. dist. &
a Beech 5 " " " N 10 " "

63.00 an Ash 20 " "

80.32 to Section Corner

North Between Sec. 8 & 9.

23.50 a Beech 18 in. dia.

40.00 Set g. See. post. from which
a Beech 11 in. dia. bears N 70 E 25 lbs. dist. &
a Do. 10 " " " S 60 W 20 " "

56.00 a Poplar 24 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Sugar 7 in. dia. bears S 60 E 15 lbs. dist. &
a Beech 5 " " " N 5 W 27 " "

Land Hilly 2^d rate timber Beech, Ash, Sugar,
Poplar &c. undergrowth Spice &c.

East On Random between Sec. 4 & 9.

40.00 Set temp. g. See. post.

80.42 Intersected the N. & S. line 67 lbs. N. of post.

Land level 2^d rate Beech, Ash, Oak, Sugar &c.
undergrowth Spice &c.

West connected between Sec. 4 & 9.

20.60 a Beech 8 in. dia.

Plot No. 2nd Mer. Indiana

275

ch. 1/2

- 40.21 Set of Sec. post. at average dist. from which
a Beech 7 in. dia. bears South 6 lbs. dist. &
a Sugar 22 " " " N 15 E 20 " "
63.00 an Elm 18 " "
80.22 to Section Corner

North Between Secs. 4 & 5

20.50 a W. Walnut 30 in. dia.

40.00 Set of Sec. post. from which
a Sugar 7 in. dia. bears East 12 lbs. dist. &
a Beech 5 " " " N 71 1/2 W 14 " "

52.50 a No. 18 " "

82.45 Intersected the N. boundary 3.66 lbs. N. of post
Set post Cor. to Secs. 4 & 5, from which
a Beech 20 in. dia. bears North 6 lbs. dist. &
a No. 18 " " " East 30 " "
Land Hilly 2nd rate timber Beech, Ash, Oak,
Poplar, Sugar, &c. undergrowth Spice &c.
Oct. 27th 1819.

North Between Secs. 31 & 32.

15.00 a Beech 18 in. dia.

40.00 Set of Sec. post. from which
a Buckeye 8 in. dia. bears N 80 W 15 lbs. dist. &
a Beech 10 " " " East 18 " "

70.00 an Elm 14 " "

78.00 a Creek 50 lbs. wide Course S. W.

80.00 Set post Cor. to Secs. 29, 30, 31, & 32, from which
a Buckeye 7 in. dia. bears N 50 W 15 lbs. dist. &
a Hackberry 7 " " " S - E 40 " "
Land level 1st rate timber Ash, Beech, Sugar &c.
undergrowth Spice &c.

East On Pradon between Secs. 29 & 32.

5.00 a Creek 50 lbs. wide Course S. W.

40.00 Set temp. of Sec. post.

T4 N 27 E. 2^d Mer. Indianach. 1st 1/2

80.20 Intersected the N. & S. line 33 lvs. N. of post.
Land level & wet timber Beech, Ash, Sugar, &c.
undergrowth Spice, &c.

West Corrected between Secs. 29 & 32

20.00 a Beech 20 mi. dist.

40.10 Set of Sec. post at average dist. from which
a Buckeye 10 mi. dist. from N.W. cor. dist. of
a Beech 11 " " " East 11 " "

65.00 an Ash 36 " "

80.20 to Sec. Corner

North Between Secs. 29 & 30

16.00 a Spring Course S.W.

33.50 an Elm 24 mi. dist.

40.00 Set of Sec. post, from which
a Buckeye 10 mi. dist. from N.W. 25 lvs. dist. of
an Elm 11 " " " S.E. 30 " "

54.50 an Ash 18 " "

80.00 Set post Cor. to Secs. 19, 20, 29 & 30, from which
a Beech 16 mi. dist. from N.E. 15 lvs. dist. of
a Do. 13 " " " S.E. 25 " "
Land level 2^d rate, timber Beech, Ash, Sugar
&c. undergth Spice &c

East On Land 7th between Secs. 20 & 29

19.00 a Creek 50 lvs. wide Course S.E.

37.00 enter a Swamp

40.00 Set temp^l of Sec. post

55.00 to dry land

80.04 Intersected the N. & S. line 31 lvs. N. of post
Land level 2^d rate, timber Beech, Ash,
Sugar &c. undergth Spice, Oct. 28th 1819

West Corrected between Secs. 20 & 29

21.70 a Beech 13 mi. dist.

277

H. N. E. D. Mer. Indiana

ch. l. l. l.
 40.32 At of. Sec. post at average dist. from which
 an Oak 7 mi. dist. from North 7 l. m. dist. of
 an Ash 12 " " " West 8 " "
 55.00 a Beech 10 " "
 80.04 to Sec. Corner

North Between Sec. 17 & 20

20.00 an Ash 16 mi. dist.
 40.00 At of. Sec. post, from which
 a Beech 14 mi. dist. from South 14 l. m. dist. of
 a hlo. 10 " " " N 10 W 15 " "
 57.00 a Creek 50 l. m. wide Course S. E
 65.00 an Elm 40 mi. dist.
 80.00 At post Cor. to Sec. 17, 18, 19 & 20, from which
 a Beech 12 mi. dist. from N 4 W 18 l. m. dist. of
 a Cherry 5 " " " S 30 W 25 " "
 Sand level 1st rate, timber Beech, Ash, Sugar
 Elm &c. undergth Spruce &c

East On Road between Sec. 17 & 20

40.00 At of. Sec. post temporarily
 80.75 Intersected the N & S line 21 l. m. N. of post
 Sand level 1st rate, timber Ash, Beech, Hick
 &c. undergth Spruce &c.

West Cor. between Sec. 17 & 20

23.00 a Beech 6 mi. dist.
 40.37 At of. Sec. post, from which
 an Ash 30 mi. dist. from South 7 l. m. dist. of
 a Hickory 9 " " " West 6 " "
 50.00 a Poplar 48 " "
 80.75 to Sec. Corner.

North Between Sec. 17 & 18

4.50 a Creek 50 l. m. wide Course S. W.
 27.50 a Buckeye 9 mi. dist.

278

M. N. R. E. 2^d Mer. Indianach^d l^y

40.00 Set of Sec. post, from which
at Beech 7 in. dia. bray N 15 W 30 l^y. dist. of
a dlo. 6 " " " N 70 W 35 " "

64.00 an Ash 36 " "

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
at Beech 13 in. dia. bray S. E. 30 l^y. dist. of
a dlo. 9 " " " N 5 E 30 " "
1st 1/2 mile level 1st rate - 2nd 1/2 mile hilly
2nd rate, timber Ash, Beech, Oak &c.
undergth. Spruce &c.

East On Rand^m. between Sec 17 & 8

25.00 a Creek 25 l^y. wide Cornac S. E.

40.00 Set temp^y. of Sec. post

80.66 Intersected the N & S line 12 l^y. N. of post
Sand level, timber Beech, Ash, Sugar &c.
undergth. Spruce &c.

West Corrected between Sec. 8 & 17

15.00 a Beech 24 in. dia.

40.33 Set of Sec. post, from which
at Beech 28 in. dia. bray N 80 E 20 l^y. dist. of
a dogwood 5 " " " S 30 W 17 " "

60.00 an Elm 16 " "

80.66 to Sec. Corner.

North Between Sec. 7 & 8

17.50 an Ash 40 in. dia.

40.00 Set of Sec. post, from which
at Beech 16 in. dia. bray S. E. 40 l^y. dist. of
a Sugar 13 " " " North 25 " "

55.50 an Ash 36 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
at Beech 8 in. dia. bray North 18 l^y. dist. of
a dlo. 6 " " " N 60 E 25 " "
Sand level 2nd rate, timber Beech, Ash, Sugar

279

St. Louis N 76. 2nd Mer. Indiana
 ch. 2. 1/2
 Poplar &c. mndgth, Spruce &c

East On Land^m. between Sec. 5 & 8
 15.00 a Creek 50 lms. wide Course S.
 40.00 Set gth. Sec. post
 80.60 intersected the N & S. line at the Corner
 Land level 1st rate, timber Beech, Ash, Sugar
 Poplar &c. mndgth, Spruce &c.

West Corrected between Sec. 5 & 8
 22.00 a Hickory 20 m. dist.
 40.30 Set gth. Sec. post at average dist, from which
 a Buckeye 5 m. dist. bray S 70 E 14 lms. dist, &
 a Beech 11 " " " N. W. 17 " "
 67.00 an Oak 50 " "
 80.60 to Sec. Corner, Oct. 29, 1819. A. Wallace

North Between Sec. 5 & 6
 24.00 a Beech 10 m. dist.
 40.00 Set gth. Sec. post, from which
 an Elm 10 m. dist. bray West 9 lms. dist, &
 a Beech 11 " " " N 80 W 25 " "
 54.00 a Gum 14 " "
 84.50 intersected N. boundary 106 lms. N. of post
 Set post Cor. to Sec. 5 & 6, from which
 a Beech 6 m. dist. bray S. E. 20 lms. dist. &
 a Do. 7 " " " S 60 W 30
 First 1/2 mile 2nd rate - 2nd 1/2 mile 1st rate
 timber Beech, Ash, Sugar &c. mndgth, Spruce

West Corrected between Sec. 30 & 31
 2.50 a Creek 50 lms. wide Course N. W.
 5.00 a Do 50 " " " South
 10.00 a Do 50 " " " West
 19.50 an Ash 14 m. dist.
 40.00 Set gth. Sec. post, from which

T.H. N.C. & E. 2nd Mer. Indiana

ch. lks.

a Beech 15 in. dia. bray East 8 lks. dist. of
a Do. 5 " " " N 55 W 10 " "
70.00 a Do. 14 " "
79.23 Intersected N. boundary 12 lks. S. of post
Set post Cor. to Sec. 30 of 31, from which
an Elm 8 in. dia. bray N 63 E 50 lks. dist. of
a Beech 12 " " " N 55 E 35 " "
Land level 2nd rate, timber, Beech, Ash, Sugar?
Elm &c. undergth Spruce &c.

West Between Sec. 19 & 30

26.00 a Beech 11 in. dia.

40.00 Set of Sec. post, from which
a Beech 16 in. dia. bray N. W. 5 lks. dist. of
a Do. 9 " " " N 80 E 15 " "

49.00 a Sugar 24 " "

79.18 Intersected N. boundary 288 lks. S. of post
Set post Cor. to Sec. 19 of 30, from which
a Beech 8 in. dia. bray N 15 E 35 lks. dist. of
a Sugar 9 " " " North 18 " "
Land level 4th rate, timber Beech, Ash
Sugar, Poplar, Hickory &c. undergth Spruce

West Between Sec. 18 & 19

2.50 a Creek 50 lks. wide Course S. W.

13.00 a Beech 20 " "

40.00 Set of Sec. post, from which
a Beech 20 in. dia. bray N. E. 18 lks. dist. of
a Sugar 9 " " " South 22 " "

64.50 a Poplar 36 " "

79.00 Intersected N. boundary 327 lks. S. of post
Set post Cor. to Sec. 18 of 19, from which
a Beech 11 in. dia. bray N. E. 28 lks. dist. of
a Do. 10 " " " S 30 E 21 " "
Land level 1st rate, timber same as on the last mile

M. N. R. E. D. Mer. Indiana

281

ch. 1/2

West Between Sec. 7 & 18

30.00 a Beech 14 m. dist.

40.00 Set q. Sec. post, from which

a Beech 15 m. dist. bear S 87 E 15 m. dist. of

a No. 16 " " " N 20 E 40 " "

70.00 a Maple 14 " "

78.80 Intersected N. boundary 432 ch. S. of post

Set post Cor. to Sec. 7 & 18, from which

a Beech 6 m. dist. bear S. E. 10 m. dist. of

a No. 8 " " " N 60 E 10 " "

Land level 2nd rate, timber Beech, Oak, Oak
&c. undergth. Spruce &c.

West Cor. between Sec. 6 & 7

24.00 an Oak 60 m. dist.

40.00 Set q. Sec. post, from which

a Beech 10 m. dist. bear N. E. 8 m. dist. of

a No. 7 " " " S 20 W 25 " "

57.00 an Oak 48 " "

78.61 Intersected the N. boundary 474 ch. S. of post

Set post Cor. to Sec. 6 & 7, from which

a Beech 7 m. dist. bear N. 10 m. dist. of

a No. 20 " " " S 60 E 25 " "

Land timber &c. same as on the last mile

October 29th 1879

Surveyed by

Andrew Wallace

Deputy Surveyor

Comp.

I Certify that the foregoing transcript of field notes
of Township N^o 14 North, Range N^o 7 East, 2^d Meridian
Indiana, has been Comp^d with the Original notes in
this Office, and found to be Correct.

Surveyor General's Office
Cincinnati, Oct. 7th 1842

William Johnston
Sur. Genl.